

HIV



Indiana State
Department of Health

QUARTERLY

STD

**Increase in number
of HIV/AIDS cases
reported in 2002.
(See inside for details.)**

**Note:
The HIV/STD
Quarterly Report is
available by e-mail;
Call 1-800-376-2501**

**Frank O'Bannon
Governor**

INDIANA QUARTERLY REPORT

At A Glance

- ▶ Quarterly and Cumulative HIV/AIDS and STD Data
- ▶ Increase in HIV/AIDS Reports in First Six Months of 2002

HIV/AIDS Cumulative Data Tables

- ▶ Mode of Transmission and Age at Diagnosis
- ▶ Race/Ethnicity by Sex, Indiana, and U.S./Indiana Census Figures
- ▶ Perinatal HIV Transmission

HIV/AIDS Prevalence Data Tables

- ▶ Living with HIV Disease by Current County of Residence by Race/Ethnicity, Sex, and
- ▶ Major Modes of Transmission

Maps

- ▶ HIV/AIDS by County of Residence
- ▶ HIV/AIDS Death by County of Residence

Sexually Transmitted Disease (STD) Data Tables

- ▶ Race/Ethnicity, Age, and Gender
- ▶ STD and HIV Partnership

Every Issue

- ▶ Bulletin Board

**Gregory A. Wilson, M.D.
State Health Commissioner**

At a Glance

Quarterly and Cumulative HIV/AIDS and STD Data

The statistics reported in this document are compiled by the Clinical Data and Research and Sexually Transmitted Disease programs. These are two of five program areas that compose the Division of HIV/STD, Indiana State Department of Health.

HIV/AIDS Cases	Indiana HIV	Indiana AIDS	U.S. AIDS*
New This Quarter	207	170	18,559++
Cumulative	3,873	6,712	793,026*
Indiana STD Cases	Primary/Secondary Syphilis	Gonorrhea	Chlamydia
2 nd Quarter 2002	19	1,616	3,940
Cumulative For 2002	32	3,513	8,131
*U.S. AIDS Cases through June 2001 ++New U.S. AIDS cases Jan 2001 through June 2001			

Information Update

The reporting of each HIV/AIDS case is required by Indiana law (IC 16-41-2-1). Patients that are diagnosed in another state and are in Indiana must also be reported in Indiana. All infants born to an HIV+ mother are to be reported, even though their final HIV status is not known until later. It is also important to remember that when a patient progresses from HIV infection stage to a diagnosis of AIDS, this must be reported separately. To assist with more accurately defining the impact of HIV and AIDS on Indiana, deaths of those infected with the HIV should also be reported. For assistance, questions, or case report forms and information, please call 1-800-376-2501.

Technical Notes

Cases in the HIV registry and the AIDS registry are distinct numbers. When a case meets the surveillance case definition of AIDS, it is moved from the HIV registry to the AIDS registry. This results in non-cumulative totals for HIV.

Some adolescent AIDS cases have pediatric risk factors because they were less than 13 years old when infected.

Increase in HIV/AIDS Reports in First Six Months of 2002

There has been an increase in the number of reports of HIV and AIDS in 2002, which is apparent in this HIV/STD Quarterly report. The provisional number of cases reported in the first six months of 2002 was 560, compared to 318 during the same period in 2001. This increase does not necessarily indicate a rise in the incidence of HIV disease or its diagnosis. During this time frame, the dates of initial diagnosis for these patients spanned 1985 to 2002. Each diagnosis was to have been reported within a week of diagnosis and by each physician and hospital that sees the patient. Each related laboratory finding was also to have been reported. Other reporting requirements also apply.

Many entities came together in 2002 to allow many previously unreported cases to be reported. Many organizations, facilities, programs, hospitals, physicians, nurse practitioners, infection control practitioners, and others worked diligently to identify the unreported cases in order to better describe the impact of HIV disease in Indiana. The result is a slight increase in the proportion of some previously under-reported groups. The first obvious increase is in the number of people that were initially diagnosed in another state and have since then moved to Indiana. This increases the prevalence of HIV disease that is reported to the Centers for Disease Control and Prevention (CDC). These patients have been, and are, already receiving medical and social services in Indiana. It is critical to report each diagnosis of this disease for program planning, program evaluation, and federal funding for all HIV/AIDS related programs.

The proportional increases in reported cases in 2002 were among men, whites, white males, Hispanic females, men-who-have-sex-with-men, and those of a younger age. There was very little proportional difference in the geographic distribution of the disease.

The more complete reporting enables prevention, medical services, and social services throughout the state to be planned, more effective services, and to evaluate the impact of those services. All users of these data appreciate the efforts of all concerned.

Cumulative Indiana HIV and AIDS Cases Reported Through June 30, 2002
Cumulative U.S. AIDS Cases Reported Through June 2001

Mode of Transmission (Risk Factors)	HIV Cases	%*	AIDS Cases	%*	U.S. AIDS Cases**	%
Men who have sex with men (MSM)	1,862	60%	4,149	67%	361,867	46%
Injection Drug User (IDU)	387	12%	702	11%	197,091	25%
MSM & IDU	184	6%	456	7%	50,066	6%
Hemophilia	22	1%	79	1%	5,234	1%
Heterosexual	585	19%	639	10%	85,738	11%
Transfusion	24	1%	106	2%	8,894	1%
Ped Hemophilia	7	0%	18	0%	237	0%
Mother HIV+ or AIDS	30	1%	43	1%	8,207	1%
Pediatric Transfusion	1	0%	4	0%	382	0%
Not Identified at This Time	771	-	516	-	75,310	9%
Total	3,873	-	6,712	100%	793,026	100%
Total HIV with risk factor reported	3,102	100%	-	-	-	-

*Percentages calculated on reports that include a risk factor.

**U.S. Total includes 1 with unknown gender

Age At Diagnosis	HIV Cases	%	AIDS Cases	%	U.S. AIDS Cases**	%
0-12	41	1%	53	1%	8,994	1.1%
13-19	144	4%	46	1%	4,219	0.5%
20-29	1,435	37%	1,300	19%	130,965	16.5%
30-39	1,517	39%	3,150	47%	353,102	44.5%
40-49	555	14%	1,536	23%	208,870	26.3%
50-Above	181	5%	627	9%	86,875	11.0%
Total	3,873	100%	6,712	100%	793,026	100%

Totals may not add to 100% due to rounding.

Cumulative Cases Through June 30, 2002 - Indiana HIV/AIDS

Cumulative Cases Through June 2001 - U.S. AIDS

RACE/ETHNICITY BY SEX


* Includes 535 males and 97 females whose race is unknown

**Includes 1 person whose sex is unknown

Race	Indiana HIV				Indiana AIDS				U.S. AIDS*			
	Male	%	Female	%	Male	%	Female	%	Male	%	Female	%
White	1,936	62%	365	49%	4,294	72%	407	54%	307,332	47%	29,702	21%
Black	1,031	33%	355	47%	1,449	24%	319	42%	220,982	34%	80,802	58%
Hispanic	135	4%	27	4%	197	3%	26	3%	117,829	18%	27,391	20%
Other	20	1%	4	1%	16	1%	4	1%	7,130	1%	1,225	1%
Total with missing race	3,122	100%	751	100%	5,956	100%	756	100%	653,273	100%	139,120	100%
									653,808		139,217	

Sex	Indiana HIV		Indiana AIDS		U.S. AIDS**	
	Cases	%	Cases	%	Cases	%
Male	3,122	81%	5,956	89%	653,808	82%
Female	751	19%	756	11%	139,217	18%
Total with missing sex	3,873	100%	6,712	100%	793,025	100%
					793,026	


Indiana HIV/AIDS by Race
Cumulative through June 2002



Indiana 2000 Census

	Male	%	Female	%
White	2,536,936	88%	2,668,702	88%
Black	232,289	8%	258,337	9%
Hispanic	73,700	3%	71,480	2%
Other	27,579	1%	30,172	1%
Total	2,870,50	100%	3,028,691	100%

Total U.S. AIDS by Race/Ethnicity
Cumulative through June 2001



U.S. 2000 Census - rounded

	Male	%	Female	%
White	95,601,000	72%	99,839,000	72%
Black	15,485,000	12%	17,233,000	12%
Hispanic	15,233,000	12%	15,017,000	11%
Other	5,727,000	4%	6,164,000	4%
Total	132,046,000	100%	138,253,000	99%

*Total includes 535 males and 97 females whose race is unknown.

**Includes 1 person whose sex is unknown.

Perinatal HIV Transmission

Children Born to HIV Infected Mothers

Race	Exposed*	HIV	AIDS	Definitely Not Infected	TOTAL	Percent Total
White	16	12	19	91	138	36%
Black	36	23	27	107	193	50%
Hispanic	2	0	0	5	7	2%
Multiracial	6	3	3	34	46	12%
Other	0	0	1	1	2	0%
TOTAL	60	38	50	238	386	100%

* Includes children lost to follow-up. Their progression to other categories is unknown at this time.


Exposed Children born to HIV+ women. Laboratory testing has not yet determined their HIV status.

HIV Children born to HIV+ women. Laboratory testing has confirmed that the child is HIV+.


AIDS Children born to HIV+ women. This child meets the case definition for pediatric AIDS.

Definitely Not Infected Children born to HIV+ women. Through laboratory testing, the child is confirmed to be **definitely not infected** (DNI).

**Children Born to HIV Infected Mothers
by Year of Birth Compared to Year Reported**
1992 - June 2002



**Children Born to HIV Infected Mothers by
Current Medical Diagnosis and Year of Birth**
1992 - June 2002



The reporting of each HIV/AIDS case is required by Indiana law (IC 16-41-2-3). All infants born to an HIV+ mother should be reported, even though their final HIV status is not known until later. Current Indiana law requires the primary prenatal care provider to offer the pregnant women HIV information, counseling, and voluntary testing. Medical studies indicate that pregnant women who are HIV positive can reduce the risk of passing HIV to their children by two-thirds with proper perinatal care and anti-viral treatment during pregnancy, labor, delivery, and to the child after birth. In order to ensure that appropriate information, counseling, and testing are provided to pregnant women, the ISDH has formulated a rule that facilitates provider compliance with the law. It is our belief that this will provide better health care for pregnant women and our newest Hoosiers. If you would like additional information regarding this rule, the law or reporting, please call 1-800-376-2501.

Currently Living in Indiana with HIV Disease by Last Known County of Residence by Gender and Race

(See article about increase in cases.)

No cell less than 5 is shown in order to protect confidentiality	Sex		Race/Ethnicity Selected			Total
	Male	Female	White	Black	Hispanic	
Last Known County of Residence						
ADAMS CO.	7	<5	6	<5	<5	8
ALLEN CO.	262	49	202	89	14	311
BARTHOLOMEW CO.	27	6	30	<5	<5	33
BENTON CO.	<5	<5	<5	<5	<5	<5
BLACKFORD CO.	<5	<5	7	<5	<5	7
BOONE CO.	19	5	23	<5	<5	24
BROWN CO.	11	<5	12	<5	<5	12
CARROLL CO.	5	<5	5	<5	<5	5
CASS CO.	23	<5	16	6	<5	26
CLARK CO.	78	17	70	21	<5	95
CLAY CO.	8	<5	10	<5	<5	11
CLINTON CO.	6	<5	9	<5	<5	10
CRAWFORD CO.	<5	<5	<5	<5	<5	<5
DAVISS CO.	5	<5	7	<5	<5	9
DE KALB CO.	9	5	14	<5	<5	14
DEARBORN CO.	5	<5	6	<5	<5	6
DECATUR CO.	<5	<5	5	<5	<5	5
DELAWARE CO.	82	16	68	27	<5	98
DUBOIS CO.	9	<5	9	<5	<5	10
ELKHART CO.	69	24	58	23	11	93
FAYETTE CO.	<5	<5	<5	<5	<5	<5
FLOYD CO.	54	9	55	7	<5	63
FOUNTAIN CO.	<5	<5	<5	<5	<5	<5
FRANKLIN CO.	<5	<5	<5	<5	<5	<5
FULTON CO.	<5	<5	<5	<5	<5	<5
GIBSON CO.	9	<5	10	<5	<5	11
GRANT CO.	34	10	30	12	<5	44
GREENE CO.	6	<5	7	<5	<5	8
HAMILTON CO.	63	17	75	<5	<5	80
HANCOCK CO.	11	6	14	<5	<5	17
HARRISON CO.	8	<5	10	<5	<5	10
HENDRICKS CO.	54	9	44	18	<5	63
HENRY CO.	10	<5	11	<5	<5	11
HOWARD CO.	50	27	52	19	6	77
HUNTINGTON CO.	7	<5	9	<5	<5	9
JACKSON CO.	12	<5	11	<5	<5	15
JASPER CO.	12	<5	13	<5	<5	14
JAY CO.	14	<5	14	<5	<5	14

No cell less than 5 is shown in order to protect confidentiality	Sex		Race/Ethnicity Selected			Total
	Male	Female	White	Black	Hispanic	
Last Known County of Residence						
JEFFERSON CO.	11	<5	10	<5	<5	12
JENNINGS CO.	<5	<5	<5	<5	<5	<5
JOHNSON CO.	52	13	61	<5	<5	65
KNOX CO.	19	11	23	6	<5	30
KOSCIUSKO CO.	21	<5	22	<5	<5	23
LA PORTE CO.	121	26	77	64	5	147
LAGRANGE CO.	7	<5	7	<5	<5	8
LAKE CO.	578	164	238	434	68	742
LAWRENCE CO.	18	<5	18	<5	<5	18
MADISON CO.	132	20	109	42	<5	152
MARION CO.	2,323	420	1,550	1,105	77	2,743
MARSHALL CO.	10	<5	11	<5	<5	13
MARTIN CO.	<5	<5	<5	<5	<5	<5
MIAMI CO.	13	6	12	6	<5	19
MONROE CO.	131	17	123	15	8	148
MONTGOMERY CO.	13	5	18	<5	<5	18
MORGAN CO.	24	<5	27	<5	<5	28
NEWTON CO.	<5	<5	<5	<5	<5	<5
NOBLE CO.	7	<5	7	<5	<5	8
OHIO CO.	<5	<5	<5	<5	<5	<5
ORANGE CO.	5	<5	5	<5	<5	5
OWEN CO.	11	<5	12	<5	<5	13
PARKE CO.	6	<5	7	<5	<5	8
PERRY CO.	5	<5	<5	<5	<5	5
PIKE CO.	<5	<5	<5	<5	<5	<5
PORTER CO.	71	20	84	<5	<5	91
POSEY CO.	5	<5	<5	<5	<5	5
PULASKI CO.	<5	<5	<5	<5	<5	<5
PUTNAM CO.	29	<5	17	11	<5	30
RANDOLPH CO.	6	6	9	<5	<5	12
RIPLEY CO.	<5	<5	<5	<5	<5	<5
RUSH CO.	6	<5	6	<5	<5	6
SCOTT CO.	9	<5	10	<5	<5	11
SHELBY CO.	12	<5	16	<5	<5	16
SPENCER CO.	6	<5	6	<5	<5	7
ST JOSEPH CO.	252	72	161	148	14	324
STARKE CO.	11	<5	11	<5	<5	14
STEUBEN CO.	8	<5	11	<5	<5	11
SULLIVAN CO.	9	<5	8	<5	<5	11
SWITZERLAND CO.	<5	<5	<5	<5	<5	<5
TIPPECANOE CO.	59	11	49	11	10	70
UNION CO.	<5	<5	<5	<5	<5	<5

No cell less than 5 is shown in order to protect confidentiality	Sex		Race/Ethnicity Selected			Total
	Male	Female	White	Black	Hispanic	
Last Known County of Residence						
VANDERBURGH CO.	174	28	168	34	<5	202
VERMILLION CO.	<5	<5	7	<5	<5	7
VIGO CO.	163	14	85	52	37	177
WABASH CO.	5	<5	8	<5	<5	8
WARREN CO.	<5	<5	<5	<5	<5	<5
WARRICK CO.	14	<5	18	<5	<5	18
WASHINGTON CO.	8	<5	9	<5	<5	9
WAYNE CO.	56	16	61	9	<5	72
WELLS CO.	<5	<5	<5	<5	<5	<5
WHITE CO.	9	<5	10	<5	<5	10
WHITLEY CO.	<5	<5	<5	<5	<5	5
Total	5,443	1,138	4,058	2,190	298	6,581

Currently Living in Indiana with HIV Disease by Last Known County of Residence by Mode of Transmission

No cell less than 5 is shown in order to protect confidentiality Patient's current county of residence	Mode of exposure						Total
	MSM	IDU	MSM/IDU	Heterosexual	Not Reported	Mother HIV+	
ADAMS CO.	5	<5	<5	<5	<5	<5	8
ALLEN CO.	192	22	13	41	37	<5	311
BARTHOLOMEW CO.	17	<5	<5	<5	9	<5	33
BENTON CO.	<5	<5	<5	<5	<5	<5	<5
BLACKFORD CO.	<5	<5	<5	<5	<5	<5	7
BOONE CO.	11	<5	<5	5	5	<5	24
BROWN CO.	7	<5	<5	<5	<5	<5	12
CARROLL CO.	<5	<5	<5	<5	<5	<5	5
CASS CO.	12	<5	5	<5	<5	<5	26
CLARK CO.	53	9	9	11	11	<5	95
CLAY CO.	5	<5	<5	5	<5	<5	11
CLINTON CO.	<5	<5	<5	<5	<5	<5	10
CRAWFORD CO.	<5	<5	<5	<5	<5	<5	<5
DAVIESS CO.	<5	<5	<5	<5	<5	<5	9
DE KALB CO.	5	<5	<5	5	<5	<5	14
DEARBORN CO.	<5	<5	<5	<5	<5	<5	6
DECATUR CO.	<5	<5	<5	<5	<5	<5	5
DELAWARE CO.	59	8	<5	14	11	<5	98
DUBOIS CO.	7	<5	<5	<5	<5	<5	10
ELKHART CO.	39	9	<5	23	20	<5	93
FAYETTE CO.	<5	<5	<5	<5	<5	<5	<5
FLOYD CO.	38	6	<5	6	9	<5	63
FOUNTAIN CO.	<5	<5	<5	<5	<5	<5	<5
FRANKLIN CO.	<5	<5	<5	<5	<5	<5	<5
FULTON CO.	<5	<5	<5	<5	<5	<5	<5
GIBSON CO.	5	<5	<5	<5	<5	<5	11
GRANT CO.	20	<5	<5	12	5	<5	44
GREENE CO.	<5	<5	<5	<5	<5	<5	8
HAMILTON CO.	49	6	<5	12	<5	<5	80
HANCOCK CO.	6	<5	<5	5	<5	<5	17
HARRISON CO.	<5	<5	<5	<5	<5	<5	10
HENDRICKS CO.	21	9	6	12	12	<5	63
HENRY CO.	5	<5	<5	<5	<5	<5	11
HOWARD CO.	32	5	<5	30	6	<5	77
HUNTINGTON CO.	<5	<5	<5	<5	<5	<5	9
JACKSON CO.	8	<5	<5	<5	<5	<5	15
JASPER CO.	7	<5	<5	<5	<5	<5	14
JAY CO.	10	<5	<5	<5	<5	<5	14

No cell less than 5 is shown in order to protect confidentiality	Mode of exposure						Total
	MSM	IDU	MSM/IDU	Heterosexual	Not Reported	Mother HIV+	
Patient's current county of residence							
JEFFERSON CO.	7	<5	<5	<5	<5	<5	12
JENNINGS CO.	<5	<5	<5	<5	<5	<5	<5
JOHNSON CO.	38	<5	<5	15	6	<5	65
KNOX CO.	7	6	<5	14	<5	<5	30
KOSCIUSKO CO.	14	<5	<5	<5	<5	<5	23
LA PORTE CO.	64	22	14	24	20	<5	147
LAGRANGE CO.	5	<5	<5	<5	<5	<5	8
LAKE CO.	279	133	44	108	157	10	742
LAWRENCE CO.	14	<5	<5	<5	<5	<5	18
MADISON CO.	82	16	7	22	25	<5	152
MARION CO.	1,617	236	134	341	363	24	2,743
MARSHALL CO.	5	<5	<5	<5	<5	<5	13
MARTIN CO.	<5	<5	<5	<5	<5	<5	<5
MIAMI CO.	<5	<5	<5	<5	7	<5	19
MONROE CO.	96	9	11	16	13	<5	148
MONTGOMERY CO.	10	<5	<5	5	<5	<5	18
MORGAN CO.	17	<5	<5	6	<5	<5	28
NEWTON CO.	<5	<5	<5	<5	<5	<5	<5
NOBLE CO.	<5	<5	<5	<5	<5	<5	8
OHIO CO.	<5	<5	<5	<5	<5	<5	<5
ORANGE CO.	<5	<5	<5	<5	<5	<5	5
OWEN CO.	8	<5	<5	<5	<5	<5	13
PARKE CO.	5	<5	<5	<5	<5	<5	8
PERRY CO.	<5	<5	<5	<5	<5	<5	5
PIKE CO.	<5	<5	<5	<5	<5	<5	<5
PORTER CO.	40	15	<5	18	13	<5	91
POSEY CO.	5	<5	<5	<5	<5	<5	5
PULASKI CO.	<5	<5	<5	<5	<5	<5	<5
PUTNAM CO.	12	11	<5	<5	<5	<5	30
RANDOLPH CO.	<5	<5	<5	6	<5	<5	12
RIPLEY CO.	<5	<5	<5	<5	<5	<5	<5
RUSH CO.	<5	<5	<5	<5	<5	<5	6
SCOTT CO.	5	<5	<5	<5	5	<5	11
SHELBY CO.	8	<5	<5	<5	<5	<5	16
SPENCER CO.	<5	<5	<5	<5	<5	<5	7
ST JOSEPH CO.	168	30	10	51	58	<5	324
STARKE CO.	6	<5	<5	<5	5	<5	14
STEUBEN CO.	<5	<5	<5	<5	<5	<5	11
SULLIVAN CO.	5	<5	<5	<5	<5	<5	11
SWITZERLAND CO.	<5	<5	<5	<5	<5	<5	<5
TIPPECANOE CO.	38	<5	<5	10	14	<5	70
UNION CO.	<5	<5	<5	<5	<5	<5	<5
VANDEBURGH CO.	134	12	18	26	10	<5	202
VERMILLION CO.	<5	<5	<5	<5	<5	<5	7

No cell less than 5 is shown in order to protect confidentiality	Mode of exposure						Total
	MSM	IDU	MSM/IDU	Heterosexual	Not Reported	Mother HIV+	
Patient's current county of residence							
VIGO CO.	51	41	9	15	59	<5	177
WABASH CO.	<5	<5	<5	<5	<5	<5	8
WARREN CO.	<5	<5	<5	<5	<5	<5	<5
WARRICK CO.	8	<5	<5	<5	<5	<5	18
WASHINGTON CO.	6	<5	<5	<5	<5	<5	9
WAYNE CO.	39	6	<5	16	6	<5	72
WELLS CO.	<5	<5	<5	<5	<5	<5	<5
WHITE CO.	6	<5	<5	<5	<5	<5	10
WHITLEY CO.	<5	<5	<5	<5	<5	<5	5
Total	3,499	666	350	958	951	55	6,581

Cases Reported


Total Number of HIV/AIDS Reported by County

Total AIDS
Reported: 6,712

Total HIV
Reported: 3,873

Top Number:
The total number
of AIDS cases
reported since
1982 within this
county.


Bottom Number:
The total number
of HIV cases
reported since
1985 within this
county.



Deaths Reported

Total Number of Deaths Among Persons with HIV Disease, Reported by County

Total Deaths
Reported:
3,873




STD Morbidity

Syphilis, Gonorrhea, and Chlamydia Morbidity – 2nd Quarter 2002 Provisional Data

Gender	Syphilis All Stages		Syphilis (Primary and Secondary)		Gonorrhea		Chlamydia	
Male	54	53%	14	74%	748	46%	893	23%
Female	47	47%	5	26%	866	54%	3,018	77%
Unknown	0	0%	0	0%	2	<1%	29	<1%
Total	101	100%	19	100%	1,616	100%	3,940	100%
Race	Syphilis All Stages		Syphilis (Primary and Secondary)		Gonorrhea		Chlamydia	
White	18	18%	6	32%	316	20%	1,415	36%
Af-Am	55	54%	11	58%	1,023	63%	1,595	40%
Amer Ind	0	0%	0	0%	0	0%	1	<1%
Asian	1	1%	0	0%	4	<1%	14	<1%
All others	11	11%	1	5%	26	2%	144	4%
Unknown	16	16%	1	5%	247	15%	771	20%
Total	101	100%	19	100%	1,616	100%	3,940	100%
Ethnicity	Syphilis All Stages		Syphilis (Primary and Secondary)		Gonorrhea		Chlamydia	
Hispanic	12	12%	0	0%	40	3%	221	6%
Non-Hispanic	60	59%	14	74%	896	55%	2,042	52%
Unknown	29	29%	5	26%	680	42%	1,677	42%
Total	101	100%	19	100%	1,616	100%	3,940	100%
Age	Syphilis All Stages		Syphilis (Primary and Secondary)		Gonorrhea		Chlamydia	
0-9	0	0%	0	0%	5	<1%	8	<1%
10-14	0	0%	0	0%	18	1%	63	2%
15-19	1	<1%	1	5%	438	27%	1,376	35%
20-24	18	18%	2	11%	560	35%	1,456	37%
25-29	16	16%	2	11%	281	17%	577	15%
30-34	16	16%	5	26%	118	7%	224	6%
35-39	7	7%	0	0%	85	5%	111	3%
40-44	10	10%	5	26%	54	3%	40	1%
45-49	11	11%	1	5%	25	2%	21	<1%
50-54	7	7%	2	11%	14	<1%	9	<1%
55-59	0	0%	0	0%	5	<1%	2	<1%
60-64	5	5%	0	0%	0	0%	2	<1%
65+	10	10%	1	5%	2	<1%	3	<1%
Unknown	0	0%	0	0%	11	<1%	48	1%
Total	101	100%	19	100%	1,616	100%	3,940	100%

Source: ISDH STD MIS Database as of July 17, 2002

STD and HIV Partnership



Source: STDMIS Database and HIV Surveillance Database

The prevention of HIV infection is an important benefit of preventing sexually transmitted disease (STD) transmission. The integration of STD and HIV prevention programs within the Division of HIV/STD at ISDH has made it possible to optimize this relationship in Indiana. All local Disease Intervention Specialists (DIS), whether employed by HIV Counseling Testing and Referral (CTR) or STD Programs, are fully trained to provide the services of both programs. All STD clinics in Indiana offer HIV testing as a part of a patient examination. Where phlebotomists are available, CTR sites offer syphilis testing to their clients.

Because other STDs increase both HIV infectiousness and susceptibility, STD prevention is a key HIV prevention strategy in the STD-HIV infection cycle. The chart demonstrates the potential for gonorrhea, chlamydia and syphilis to accelerate the transmission of HIV within the population. The demographics of the disease differ significantly with regard to the age of the populations most affected.

In 2001, there were 22,392 cases of chlamydia, gonorrhea and primary and secondary syphilis. Sexually active men and women between the ages of 19 and 24 accounted for 60% of the gonorrhea and 73% of the chlamydia cases in 2001. Overall, 76% of the gonorrhea patients were between the ages of 15 and 29 while 88% of the chlamydia patients were between the ages of 15 and 29.

To learn more about the STD services available in your area, consult the ISDH Division of HIV/STD website at www.state.in.us/isdh/programs/hivstd/index.htm

Bulletin Board

HIV Prevention Community Planning Group

Indiana State Department of Health	06/18/02	10/15/02
Rice Auditorium unless noted	07/16/02	11/19/02
For information, call Cathy Archey-Morgan at (317) 233-7197	08/20/02	12/07/02
	09/17/02*	
		*Evansville

Indiana HIV Statewide Consumer Advisory Board

Indiana State Department of Health	05/08/02	11/13/02
Rice Auditorium unless noted - 9:00 am-5:00 pm	06/12/02*	12/11/02
	07/10/02	
For information, call Valerie Plowman at (317) 233-7744		*Rice Aud. South

Care Coordination Bi-monthly Training

Indiana State Department of Health	05/16/02	11/20/02
Indianapolis Urban League	06/21/02*	01/24/03
	07/24/02	03/12/03
Location to be announced - 10:00 am-3:00 pm	09/20/02	
For information, call Kari Brown at (317) 233-7672		*Indicates Intensive Skills Building Session

Medicaid Certification Training Dates

Location: Indianapolis Urban League	July 25-26, 2002
9:00-4:30 Day One	November 21-22, 2002
8:45-3:30 Day Two	February 27-28, 2003
	June 5-6, 2003

Counseling and Testing Program

For information, call Sandy Gorsuch at (317) 233-7840

Centers for Disease Control and Prevention (CDC) National AIDS Hotline

Hotline Telephone Numbers

CDC National STD Hotline

1-800-227-8922 (Monday -Friday, 8:00 a.m. - 11 p.m. ET)

English services

1-800-342-AIDS (2437) (7 Days/Week, 24 Hours/Day)

Spanish Service

Spanish Number is 1-800-344-7432 (7 Days/Week, 8:00 a.m. - 2:00 p.m. ET)

TTY Service for the Deaf

TTY Number is 1-800-243-7889 (Monday - Friday, 10:00 a.m. - 10:00 p.m. ET)

Search all state health department web pages for specific topic:

<http://www.cdc.gov/search2.htm>

HIV/AIDS Treatment Information Service (ATIS)

Bilingual health information specialists are available to answer questions and provide information about federally approved treatment for HIV and AIDS. Call toll-free Monday-Friday, 12:00p.m. – 5 p.m. Eastern time at 800-448-0440, TTY 888-480-3739 and International 301-519-0459, or e-mail atis@hivatis.org. All calls and e-mails are completely confidential.

The ***HIV/STD Quarterly Report*** is a publication of the Indiana State Department of Health with funding assistance from the Centers for Disease Control and Prevention.

Gregory A. Wilson, M.D.
State Health Commissioner

Michael S. Butler
Director, Division of HIV/STD

Jerry V. Burkman, R.N., M.P.H.
Epidemiologist, Surveillance Program Manager

Cheryl Thomas
Layout Design

Jim Beall, Patsy Buckner, R.N., Carol Pender McMurray, R.N., Brenda Phipps, R. N., Linda Slinkard, SueAnn Nicholls
Contributors

Division of HIV/STD information
Division of HIV/STD Web site
www.in.gov/isdh/programs/hivstd/index.htm

(317) 233-7499

Communicable Disease Reporting Rule of October 11, 2000

www.in.gov/legislative/iac/title410.html
www.in.gov/isdh/publications/comm_dis_rule.pdf

Data Requests for HIV or STD information

(317) 233-7536

HIV/AIDS Clinical Data and Research Program for case reporting
Recalcitrant (ARC) Program

(317) 233-7406 or (800) 376-2501
(317) 233-7032 or (317)233-7519

ISDH Medical Services Program
MATEC
American Red Cross Training

(866) 588-4948* toll free
(317) 929-5562
(317) 684-4340

Prevention/Education

(317) 233-7840

Counseling/Testing/Referral/Partner Notification
CTS Data Requests

(317) 233-7840
(317) 233-7840

*Please direct **AIDServe Indiana** inquiries to this number.